



DIVINA



argenta



FIXED WALL

Thanks to divina glass walls, spaces are easily divided without loss of light or openness. The innovative aluminium structure and glass provide an industrial, minimalist look that fits perfectly in homes, hotels, and restaurants.

USPs

MINIMALIST PROFILES

SIMPLE AND FAST INSTALLATION

- One profile for different glass thicknesses
- Unique and intuitive click system for glass thickness

MODULAR AND FLEXIBLE SYSTEM

- Lends itself to all installation dimensions, but also to ceiling-high applications
- Easily shortened
- Allows for 10 mm adjustment horizontally and vertically

Specifications

GLASS THICKNESS

- 6 to 10 mm in tempered glass
- 33.1 to 55.2 in laminated glass

DIMENSIONS

- Max. height = 2600 mm
- Max. width = 6000 mm
- Max. width per glass plate = 1500 mm

OPTIONS

- Intermediate glazing beads can be glued anywhere.
- In black, white, and grey



FIXED WALL WITH REVOLVING DOOR

Thanks to the invisibly integrated argenta tyo hinges and magnetic lock, all the attention is focused on the design's clean lines.

USPs

FLOOR-TO-CEILING REVOLVING DOOR

- Integration invisible tyo
- Magnotica pro invisibly concealed

MINIMALIST PROFILES

SIMPLE AND FAST INSTALLATION

- One single profile for different glass thicknesses
- Unique and intuitive click system for glass thickness

MODULAR AND FLEXIBLE SYSTEM

- Both standard and floor-to-ceiling application
- Easily shortened
- Allows for 10 mm adjustment horizontally and vertically

Specifications

GLASS THICKNESS

- 8 to 10 mm in tempered glass
- 44.2 to 55.2 in laminated glass

DIMENSIONS

- Max. height = 2600 mm
- Max. width = 6000 mm
- Max. width per glass plate = 1500 mm
- Max. door width = 1000 mm

OPTIONS

- Intermediate glazing beads can be glued anywhere.
- In black, white, and grey

AVAILABLE IN
3 DIFFERENT COLOURS



WHITE TXT9016



GREY TXT7016



BLACK TXT9005





Ter Vlucht 2 +32 (0)51 27 05 00
8850 Ardoonie info@arlu.be
Belgium WWW.ARLU.BE

